

US-32195-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) **CB SCHEME**

CB TEST CERTIFICATE

Product DC to DC Converter

Name and address of the applicant TDK-LAMBDA AMERICAS INC

SUITE 100

3320 MATRIX DR

RICHARDSON TX 75082 USA

TDK-LAMBDA AMERICAS INC Name and address of the manufacturer

SUITE 100

3320 MATRIX DR

RICHARDSON TX 75082 USA

Name and address of the factory TDK-LAMBDA AMERICAS INC

SUITE 100 3320 MATRIX DR RICHARDSON TX 75082 Note: When more than one factory, please report on page 2

USA

Additional Information on page 2

Ratings and principal characteristics N/A

TDK or TDK-Lambda

TDK·Lambda

Type of Customer's Testing Facility (CTF) Stage used CTF Stage 2

DDA***(N or I)-%%%%-xxxx-(bbb) Model / Type Ref.

See Page 2

Additional information (if necessary may also be The report was revised to include technical modifications.

reported on page 2) Additional Information on page 2

A sample of the product was tested and found

to be in conformity with

As shown in the Test Report Ref. No. which forms part

of this Certificate

Trademark (if any)

IEC 62368-1:2014

E220248-A6001-CB-1 issued on 2019-08-07

This CB Test Certificate is issued by the National Certification Body



Signature:

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-08-07 Original Issue Date: 2018-08-03

Jolanta M. Wroblewska



US-32195-M1-UL

Model Details:

DDA***(N or I)-%%%%-xxxx-(bbb)

Where "***" represents rated output power between 0W and 999W, based on the installed dc-dc power unit's rating. N = non-isolated, I = operational insulation / isolated.

%%%% denotes number of outputs, number of modules and polarity (e.g. S1PX = single unit, positive or D2PN = dual output, two modules, one positive and one negative output)

xxxx indicates a number indicating magnitude of nominal voltage set point (e.g. 1205 = one 12V and 5V) bbb indicates feature set.. e.g. (on off logic, power good feature present)

Factories

TDK-LAMBDA MALAYSIA SDN BHD PLO33 KAWASAN PERINDUSTRIAN SENAI 81400 SENAI JOHOR MALAYSIA

Additional Information:

Additionally evaluated to EN 62368-1:2014 / A11:2017; National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions: Amendment 1 (Technical):

- Revised the model number nomenclature (removed "-y" and "may be followed by "R").
- Marking plate was updated accordingly.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-08-07

Original Issue Date: 2018-08-03

Signature:

Jolanta M. Wroblewska